

PA-LPC

QUERY CONTROL FORM		RTIS/USE ONLY	
Application No.	09/ 507, 629	Prepared by	NPB
Examiner-GAU	OLSEN-1763	Date	3/11/04
		No. of queries	1
		Tracking Number	05896024
		Week Date	1/26/04
			IFW

JACKET			
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449
b. Applicant(s)	g. Disclaimer	l. Print Fig.	q. PTOL-85b
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other

SPECIFICATION	MESSAGE
a. Page Missing	Please provide clear/legible copies of the following:
b. Text Continuity	
c. Holes through Data	
d. Other Missing Text	
<u>e. Illegible Text</u>	a) PTO-1449 forms (see attached)
f. Duplicate Text	b) Field of Search data (see attached)
g. Brief Description	c) Oath
h. Sequence Listing	d) Amendment dated 07/29/02 (see attached)
i. Appendix	All illegible. Please advise.
j. Amendments	
k. Other	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	
c. Duplicate Numbers	
d. Incorrect Numbering	
e. Index Disagrees	
f. Punctuation	
g. Amendments	
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials <i>mmh</i>
	RESPONSE
	initials

FORM PFC-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTORNEY EXCELLENCE 1945 PULSAR ACHIEVEMENT

SIRAM NO. NA

LIST OF ART CITED BY APPLICANT

(Use several sheets if necessary)

APPLICANT: Nben et al

THE INSTITUTE Herewith

Cellulose unknown

U.S. PATENT DOCUMENTS

Experiment Number		THERMAL STABILITY							DATE	NAME	CLASS	SCORE/CLASS	REMARKS
See	A1	4	2	8	1	2	0	7	08/04/84	Kawai	423	38	
See	A2	4	4	3	1	2	1	8	02/21/84	Nishimatsu et al	279	10/45 R	
See	A3	4	4	6	1	3		1	06/14/84	Ikano	156	643	
See	A4	4	4	9	1	2	0	9	11/28/84	Hartman	156	643	
See	A5	4	5	0	1	0	1	4	06/07/85	Trump et al	156	643	
See	A6	4	5	7	6	6	0	2	01/19/86	Okada et al	204	165	
See	A7	4	7	0	1	5	0	1	11/10/87	Okudaira et al	156	643	
See	A8	4	7	3	3	7	4	2	02/10/88	Kana	156	643	
See	A9	4	7	8	6	4	0	2	11/21/88	Henzling	156	342	
See	A10	4	8	1	5	3	1	0	04/02/89	Im et al	156	342	
See	A11	4	8	3	1	0	6	1	07/20/89	Sato et al	158	723	
See	A12	4	8	6	3	5	6	1	06/01/89	Freeman et al	156	643	
See	A13	4	8	6	7	8	4	1	06/10/89	Loewenstein et al	156	643	
See	A14	4	8	7	6	2	0	2	10/24/89	Koury	437	34	
See	A15	4	9	7	1	1	1	4	12/12/89	Yamamoto et al	156	643	
See	A17	4	9	9	4	4		0	02/10/91	Sato et al	437	192	
See	A18	5	0	0	1	6	1	1	07/20/91	Loewenstein et al	156	643	
See	A19	5	0	1	3	3	0	8	07/07/91	Long et al	156	643	
See	A20	5	0	3	1	7	0	8	07/30/91	Mi et al	156	626	
See	A21	5	0	8	4	1	1	6	07/28/92	McLee	156	342	
See	A22	5	0	9	4	7		2	01/10/92	Becker et al	156	643	
See	A23	5	1	1	0	4		8	09/09/92	Fan et al	156	643	
See	A24	5	1	1	0	4		1	01/07/92	Loiz	156	156	
See	A25	5	1	1	3	3	0	7	06/02/92	Kadomura	156	657	
See	A26	5	1	8	8	6	4	4	10/27/92	Chen et al	156	643	
See	A27	5	1	6	0	4	1	7	11/03/92	Latchford et al	156	656	
See	A28	5	1	6	4	3	0	0	11/17/92	Davis et al	437	192	
See	A29	5	1	7	6	7	0	2	01/10/93	Falloway et al	156	652	
See	A30	5	1	8	8	9	8	0	02/24/93	Fan	437	192	

EXAMINER: Bureau of Reference, Connecticut, Department of Health Services, 100 Capitol Mall, Hartford, CT 06103. For more information, contact the Bureau of Reference, Connecticut, Department of Health Services, 100 Capitol Mall, Hartford, CT 06103. For more information, contact the Bureau of Reference, Connecticut, Department of Health Services, 100 Capitol Mall, Hartford, CT 06103.

BEST AVAILABLE COPY

FORM PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE				ATTORNEY DOCKET NO. 1945 P3 USA SHUCON				SERIAL NO. N/A			
LIST OF ART CITED BY APPLICANT (Use several sheets if necessary)										FILING DATE Herewith			GROUP Unknown
U.S. PATENT DOCUMENTS													
Examiner Initial	Serial	DOCKET NUMBER							DATE	NAME	CLASS	SUBCLASS	CITING DATE (If Applicable)
<i>He</i>	A31	1		6	2	7	6	7	1/26/93	Eseny	437	47	
<i>He</i>	A32		2	6	7	8	4	6	03/06/93	Chang	174	1	
<i>He</i>	A33		2	8	6	2	4	6	10/26/93	Keller et al	176	643	
<i>He</i>	A34		2	8	3		6	7	01/27/94	Galbre et al	176	643	
<i>He</i>	A35		2	8	2	8	9	9	12/01/94	Balazshonov et al	178	723 R	
<i>He</i>	A36				2	6	1	9	01/17/94	Sakar et al	174	1	
<i>He</i>	A37				8	6	6	8	03/17/94	Lundak et al	176	692	
<i>He</i>	A38				8		9	8	8/26/94	Szymonkowski et al	176	655	
<i>He</i>	A39				4	4	1	7	10/11/94	Chen et al	176	643	
<i>He</i>	A40				6	4	7	8	11/18/94	Chen et al	174	1	
<i>He</i>	A41				8	6	9	7	10/28/94	Cathes	176	656	
<i>He</i>	A42				8	8	1		07/08/95	Nagaraj et al	176	64	
<i>He</i>	A43				8	2	1	6	01/17/95	Hilly et al	176	643	
<i>He</i>	A44				8	9	1	9	07/14/95	Edmund	176	643	
<i>He</i>	A45				3		6	4	01/09/96	Avdi et al	177	81	
<i>He</i>	A46				1	6	8	7	07/10/96	Robinson	176	643	
<i>He</i>	A47				3	6	8	6	05/22/96	Jones et al	200	47	
<i>He</i>	A48				4	9	4		01/12/97	Lakula et al	178	723 MP	
<i>He</i>	A49				4	6	2	2	01/07/96	Bornstein et al	437	189	
<i>He</i>	A50				2	1	1	6	01/26/96	Chen et al	437	187	
<i>He</i>	A51				2	9	1	7	06/28/97	Orszul	276	68	
<i>He</i>	A52				2	9	6	7	01/18/97	Keller	438	720	
<i>He</i>	A53				6	6	7	7	01/16/97	Roberts et al	276	67	
<i>He</i>	A54				7	4	7	7	06/11/97	Opelien et al	276	67	
<i>He</i>	A55				3	4	7	7	07/11/97	Kemer	277	324	
<i>He</i>	A56				3	8	8	2	01/16/98	Sato	437	192	
<i>He</i>	A57				6	1	9	6	07/26/98	Ye et al	438	710	
<i>He</i>	A58				6		2	7	01/16/98	Imai et al	438	710	
<i>He</i>	A59				8	8	7	8	01/26/98	Shung et al	174	1	
<i>He</i>	A60				8	8	9	9	08/14/98	Steger et al	176	345	
EXAMINER <i>He</i>										EXAMINER'S INITIALS <i>He</i>			

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTORNEY DOCKET NO. 1943 P3 USA SILICON

SERIAL NO. N/A

LIST OF ART CITED BY APPLICANT

(Use several sheets if necessary)

APPLICANT: Siku et al

FILING DATE: Herewith

GROUP: Unknown

U.S. PATENT DOCUMENTS

CLASSIFICATION	DOCKET NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (if appropriate)
<i>J. 10</i>	A61	8 1 1 1 1 2 2	06/02/98	Savas, et al	216 08	
<i>J. 10</i>	A62	8 1 2 3 4	10/06/98	Ye, et al	438 00	
<i>J. 10</i>	A63	8 4 3 2 3 9	12/01/98	Shrotriva	154 11	
<i>J. 10</i>	A64	8 4 9 9 9 2	12/15/98	Ni et al	154 11	
<i>J. 10</i>	A65	8 6 6 4 8 3	02/02/99	Shum, et al	438 720	
<i>J. 10</i>	A66	8 6 9 4 0 1	02/09/99	Brummeier, et al	438 710	
<i>J. 10</i>	A67	8 8 7 4 3 6 3	02/23/99	Hoh, et al	438 721	
<i>J. 10</i>	A68	8 7 0 5 7 3	07/09/99	Lepman, et al	216 08	
	A69					
	A70					
	A71					
	A72					
	A73					
	A74					
	A75					
	A76					
	A77					
	A78					
	A79					
	A80					
	A81					
	A82					
	A83					
	A84					
	A85					
	A86					
	A87					
	A88					
	A89					
	A90					

EXAMINER: Initial if reference considered, whether or not citation is in conformity with MPEP 1306. Draw line through citation if not in conformity and not considered. The final copy of this form with next communication to applicant.

FORM PTO-1349

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADE MARK OFFICE

ATTORNEY DCKET NO. 1945 P4 USA SILICON

SERIAL NO. N/A

LIST OF ART CITED BY APPLICANT

(If necessary, attach to this document)

APPLICANT: Silex, Inc.

FILING DATE: 11/15/92

EXAMINER: [blank]

FOREIGN PATENT DOCUMENTS

		DCKET NUMBER							DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
													YES	NO
	B1	0	2	7	2	1	4	3	08-22-88	JP Application				
	B2	0	3	1	4	9	9	0	05-10-89	JP Application				
	B3	0	4	6	3	3	7	3	01-02-92	JP Application				
	B4	0	5	1	6	0	4	3	12-02-92	JP Application				
	B5	0	8	5	5	5	4	6	08-18-93	JP Application				
	B6	0	6	0	8	4	6	7	02-21-90	JP Application				
	B7	0	7	4	6	0	1	3	12-04-90	JP Application				
	B8	0	7	0	0	0	3	3	02-08-97	JP Application				
	B9	4	1	3	2	8	8	0	04-08-93	German Application			✓	
	B10	6	1	7	7	0	9	2	06-24-94	Japan			✓	
	B11	7	0	2	9	8	7	0	04-31-95	Japan			✓	
	B12	9	6	1	5	5	2	3	05-24-90	PCT				
	B13													
	B14													
	B15													
	B16													
	B17													
	B18													
	B19													
	B20													
	B21													
	B22													
	B23													
	B24													
	B25													
	B26													
	B27													

EXAMINER	<i>Alkan Chan</i>	DATE CONSIDERED	2/6/02
----------	-------------------	-----------------	--------

FORM PTO-449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTORNEY DOCKET NO. P45 PVA SEICON

SERIAL NO. N/A

LIST OF ART CITED BY APPLICANT

(Use separate sheets if necessary.)

APPLICANT: Seicon, et al.

Inv. No. DATE: H-11-11-11

GROUP: 1.1.1.1.1.1

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

C1	Avdi, et al. Multiple Steady States in a Radio Frequency Chlorine Glow Discharge <u>J. Appl. Phys.</u> Volume 69, No. 1, January 1, 1991, pages 179-184
C2	Hellmuth, S. J. et al. A Symmetric Submicron CMOS Technology. <u>IEEE</u> , pages 232-237, 1989
C3	PCI Notification of International Search Report dated October 28, 1999
C4	PCI Notification of International Search Report dated February 1, 1999
C5	
C6	
C7	
C8	
C9	
C10	
C11	
C12	
C13	
C14	
C15	
C16	
C17	
C18	
C19	
C20	

DATE CONSIDERED

EXAMINER: Item if reference considered, whether or not citation is in order, must be entered in this column of this form with next communication to applicant.

PENDING U.S. PATENT APPLICATIONS

ATTORNEY DOCKET NO.: 1945.P3/USA/SILICON
 SERIAL NUMBER: N/A
 FILING DATE: HEREWITH
 INVENTORS: SHEN, ET AL

EXAMINER INITIAL		PENDING U.S. PATENT APPLICATIONS
<i>AW</i>	D1	U.S. Patent Application entitled, "Method for Improved Cleaning of Substrate Processing System": filed July 11, 1997; Serial No. 08/893,922; Inventors: Kao, et al.
	D2	U.S. Patent Application entitled, "Apparatus for Improved Remote Microwave Plasma source for Use with Substrate Processing Systems": filed April 23, 1997; Serial No. 08/839,111; Inventors: Kao, et al.
	D3	U.S. Patent Application entitled, "Method and Apparatus for Determining the Endpoint in a Plasma Cleaning Process": filed July 2, 1997; Serial No. 08/887,165; Inventors: Subrahmanyam, et al.
	D4	U.S. Patent Application entitled, "Apparatus and Method for Efficient and Compact Remote Microwave Plasma Generation": filed April 22, 1997; Serial No. 08/839,007; Inventor: Bhatnagar
	D5	U.S. Patent Application entitled, "Method and Apparatus for Pre-stabilized Plasma Generation for Microwave Clean Applications": filed November 13, 1996; Serial No. 08/746,658; Inventors: Fong, et al.
	D6	U.S. Patent Application entitled, "Inductively Coupled HDP-CVD Reactor": filed May 29, 1997; Serial No. 08/807,078; Inventors: Redeker, et al.
	D7	U.S. Patent Application entitled, "Symmetric Tunable Inductively Coupled HDP-CVD Reactor": filed July 15, 1996; Serial No. 08/679,927; Inventors: Redeker, et al.
	D8	U.S. Patent Application entitled, "Apparatus and Methods for Upgraded Substrate Processing System with Microwave Plasma Source": filed March 5, 1997; Serial No. 08/811,627; Inventors: Tanaka, et al.
<i>AW</i>	D9	U.S. Patent Application entitled, "Microwave Apparatus for In-situ Vacuum Line Cleaning for Substrate Processing Equipment": filed October 30, 1996; Serial No. 08/741,241; Inventors: Pang, et al.
	D10	
	D11	
	D12	
	D13	
	D14	

JAN 9 7 2009

SHEET 1 OF 1

FORM PTO 619 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY DOCKET NO. 1645 PUSA SURCON		SERIAL NO. 00451029
	APPLICANT: Shen et al		
	FILING DATE: 02/18/2000		GROUP 1: <u>17/8</u>

LIST OF ART CITED BY APPLICANT
(Use several sheets if necessary)

U.S. PATENT DOCUMENTS

Examiner Initial		DOCKET NUMBER								DATE	NAME	CLASS	SUBCLASS	TRANSLATION IF APPROPRIATE
<i>for</i>	AA	5	7	0	0	7	4	1		12/24/97	Liao	428	713 713	
<i>for</i>	AB	0	0	0	0	7	1	8		07/18/98	Hanone et al	033	719	
	AC													713/719
	AD													
	AE													
	AF													
	AG													
	AH													
	AI													

FOREIGN PATENT DOCUMENTS

		DOCKET NUMBER								DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
														YES	NO
<i>for</i>	AI	0	1	0	0	0	4	27		02/27/89	Japan			NO Abstract only	
<i>for</i>	AK	0	0	2	3	3	8	7		09/02/98	Japan				
<i>for</i>	AL	0	0	0	0	8	0	0		08/01/96	JP				
	AM														
	AN														

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

	AO	PCT Search Report dated 11/8/00
	AP	
	AQ	

EXAMINER: <i>for</i>	DATE CONSIDERED: <i>2/1/01</i>
EXAMINER Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE										ATTORNEY DCKET NO. 00471 SAIPV ELEC SER CON 10		SERIAL NO. 00000000000000000000		
LIST OF ART CITED BY APPLICANT										APPLICANT: Shen, et al		GROUP: 1-30		
										FILING DATE: 12/18/92				
U.S. PATENT DOCUMENTS														
Examiner Initial		DOCKET NUMBER								DATE	NAME	CLASS	SUBCLASS	TOPIC DATE R APPROVED
<i>Hee</i>	AA	1	1	1	1	1	1	1	1	12/18/92	10000000000000000000	10000000000000000000		
<i>Hee</i>	AB	1	1	1	1	1	1	1	1	12/18/92	10000000000000000000	10000000000000000000		
	AC													
	AD													
	AE													
	AF													
	AG													
	AH													
	AI													
FOREIGN PATENT DOCUMENTS														
		DOCKET NUMBER								DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
<i>Hee</i>	AI	1	1	1	1	1	1	1	1	12/22/92	1P			
<i>Hee</i>	AK	1	1	1	1	1	1	1	1	12/22/92	1P			
	AL													
	AM													
	AN													
OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)														
<i>Hee</i>	AO	PCT Report dated 06/22/01, European Patent Office, P.B. 5818 Patentkan 2 NI-2280 HV Rijswijk												
<i>Aa</i>	AP	Zaleski, et al. "Tungsten Silicide Polysilicon Stack Etching using Mixed Fluorine Chlorine Chemistry in a High Density Plasma Chamber", Electrochemical Society Proceedings Volume 98-1, pages 203-209												
<i>Hee</i>	AQ													
EXAMINER <i>Hee</i>										DATE CONSIDERED 12/16/92				
EXAMINER Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant														

[illegible]

FORM 101 (REV. 11-2000) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		DOCKET 0019451 SAPPHIRE SILICON JB		APPLICATION NO. 09/517,629			
INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (SEE 37 C.F.R. § 1.102(b))		APPLICANT: SHINJI FILING DATE 02/18/2003		GROUP PARTIAL NO. 1763			
U.S. PATENT DOCUMENTS							
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
fu	5,250,623	11/9/1993	HORI et al				
fu	5,382,000	1/24/1995	MAK et al				
fu	5,189,464	1/19/1993	TAJIMA et al				
fu	6,270,674	8/1/2001	KUMAR et al				
fu	6,125,856	10/3/2000	KAO et al				
fu	5,561,253	1/19/1999	SEKINE et al				
 FOREIGN PATENT DOCUMENTS 							
	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	ABSTRACT	
						YES	NO
 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.) 							
fu	Kamizuka, Masakatsu et al "Pattern Profile Control in Magnetron reactive ion etching of Poly-Si" J. Vac. Sci. Technol. B 10(5), Sept/Oct 1992 pp. 2192-2196						
EXAMINER: <i>Allen Olson</i>							DATE CONSIDERED: 5/24/03
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance not so considered. Include copy of this form with next communication to applicant.							

BEST AVAILABLE COPY

SEARCHED

SEARCH NOTES (INCLUDING SEARCH STRATEGY)

complete
search
content

updated 5/03 ~~no~~

INTERFERENCE SEARCHED

JUL 29 2002
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Olsen et al.	Exam. Art. Unit: 1746
Serial No: 09/507,629	Examiner: Allan W. Olsen
Filed: February 18, 2000	Attorney Docket No: 001945 USA P03/SILICON/JB
Title: SELF-CLEANING PROCESS FOR ETCHING SILICON-CONTAINING MATERIAL	July 23, 2002 San Francisco, California

AMENDMENT

Box Fee Amendment
Commissioner for Patents
Washington, D.C. 20231

Examiner Olsen

RECEIVED
AUG 10 2002
TC 1700

March 29, 2002, and is being filed within four months thereof with a request for one month extension of time

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage and return address to ensure its receipt by:	
Box Fee Amendment Commissioner for Patents Washington, D.C. 20231	
By: <u>W. C. Olsen</u>	Dated: <u>July 23, 2002</u>

COPY OF PAPERS
ORIGINALLY FILED

PIPE
AUG 14 2002

RECEIVED
AUG 14 2002
TC 1700

S/N: 00/507,029
Page 2 of 33

IN THE SPECIFICATION

Please substitute the following amended paragraphs for the corresponding original paragraphs. A marked copy of the paragraph amendments is attached hereto.

One page 8, second full paragraph

An energized gas or plasma is generated from the process gas by a gas energizer 46 that couples electromagnetic energy, such as RF or microwave energy, to the process gas in the process zone 30 of the chamber 28, such as for example, an inductor antenna 48 comprising one or more coils powered by an antenna power supply 50 that inductively couples RF energy to process gas in the chamber 28. In addition or as an alternative chamber design, a first process electrode 51 such as an electrically grounded sidewall or ceiling of the chamber 28 and a second electrode 52 such as an electrically conducting portion of the support 52 below the substrate 24 may be used to further energize the gas in the chamber 28. The first and second electrodes 51, 52 are electrically biased relative to one another by an RF voltage provided by an electrode voltage supply 54. The frequency of the RF voltage applied to the inductor antenna 48 and/or to the electrodes 51, 52 is typically from about 50 KHz to about 60 MHz.

In the paragraph bridging pages 8 and 9

COPY OF PAPER
ORIGINALLY FILED

The chamber 28 further comprises a process monitoring system 56 to monitor the process being performed on the substrate 24. The process monitoring system 56 may monitor, for example, an emission from a plasma generated inside the chamber 28, the plasma emission being generally multispectral, i.e., providing radiation having multiple wavelengths extending across a spectrum. In addition, quartz crystal microbalance (QCM)

during the etching process. Generally, the microbalance 56 is a piezoelectric plate that

changes capacitance when etchant residue is deposited on the plate. The microbalance 58 is mounted on an internal surface in the chamber 28, such as a chamber sidewall, and connected to a QCM computer 60 outside the chamber 28.

In the paragraph bridging pages 11 and 12.

The process sequencer program 134 comprises program code to accept the chamber type and set of process parameters from the process selector program 132 and to control operation of the chamber 28. The sequencer program 134 initiates execution of the process set by passing the particular process parameters to a chamber manager program 136 that controls multiple processing tasks in a chamber 28 and typically includes a process chamber program 124 and a process monitoring program 126. The process chamber program 124 includes program code to set the timing, gas composition, gas flow rates, chamber pressure, chamber temperature, RF power levels, support position, heater temperature and other parameters of a particular process. Typically, the process chamber program 124 includes a substrate positioning program 138, a gas flow control program 140, a gas pressure control program 142, a gas energizer control program 144, and a substrate temperature control program 146. Typically, the substrate positioning program 138 comprises program code for controlling chamber components that are used to load the substrate 24 onto the support 32 and optionally, to lift the substrate 24 to a desired height in the chamber 28 to control the spacing between the substrate 24 and the gas outlets 38 of the gas delivery system 34. The gas flow control program 140 has program code for controlling the flow rates of different constituents of the process gas. The gas flow control program 140 may also control the open close position of the safety shut-off valves, and ramp up/down the gas flow controller 40 to obtain the desired gas flow rate. For example, the gas flow control program 140 may be used to set the flow rates of the different gases or to exclude particular gases from the gas composition. The pressure control program 142

aperture size of the throttle valve 44 in the exhaust system 42. The gas energizer control

program 144 comprises program code for setting low and high-frequency RF power levels applied to the process electrodes 51-52. Optionally, the substrate temperature control program 146 comprises program code for controlling the temperature of a heater element (not shown) used to heat the support 32 and substrate 24, or the flow rate and temperature of fluid circulated through the support 32.

On page 12, first full paragraph

The process monitoring program 126 comprises program code that obtains sample or reference signals from the chamber 28 and processes the signal according to preprogrammed criteria. The program 126 may also send instructions to the chamber manager program 136 or other programs to change the process conditions or other chamber settings. For example, the process monitoring program 126 may comprise program code to analyze an incoming signal trace provided by the process monitoring system 120 to detect an onset or completion of a process stage when a desired set of criteria is reached, such as when an attribute of the detected signal is substantially similar to a pre-programmed value. The process monitoring program 126 may also be used to detect a property of a material being processed on the substrate 24, such as a thickness, or other properties, for example, the crystalline nature, microstructure, porosity, electrical, chemical and compositional characteristics of the material on the substrate 24. Upon detecting an onset or completion of a process, the process monitoring program signals the process chamber program 126 which sends instructions to the controller 100 to change a process condition in a chamber 28 in which the substrate 24 is being processed. The controller 100 is adapted to control one or more of the gas delivery system 34, plasma generator 46, or throttle valve 44 to change a process condition in the chamber 28 in relation to the received signal.

in the paragraph bridging pages 12 and 13

Referring to Figure 1, the data signals received by and/or evaluated by the controller 100 may also be sent to a factory automation host computer 300. The factory automation host computer 300 may comprise a host software program 302 that evaluates data from several platforms or chambers 23, and for batches of substrates 24 or over an extended period of time, to identify statistical process control parameters of (i) the processes conducted on the substrates 24, (ii) a property that may vary in a statistical relationship across a single substrate 24, or (iii) a property that may vary in a statistical relationship across a batch of substrates 24. The host software program 302 may also use the data for ongoing in-situ process evaluations or for the control of other process parameters. A suitable host software program comprises a WORKSTREAM™ software program available from aforementioned Applied Materials. The factory automation host computer 300 may be further adapted to provide instruction signals to (i) remove particular substrates 24 from the processing sequence, for example, if a substrate property is inadequate or does not fall within a statistically determined range of values, or if a process parameter deviates from an acceptable range; (ii) end processing in a particular chamber 28; or (iii) adjust process conditions upon a determination of an unsuitable property of the substrate 24 or process parameter. The factory automation host computer 300 may also provide the instruction signal at the beginning or end of processing of the substrate 24 in response to evaluation of the data by the host software program 302.

in the paragraph bridging pages 15 and 16

Table III shows the polysilicon etch rate and the etch rate uniformity for examples 5 to 17 for etching blanket undoped polysilicon on a silicon substrate in a DPS chamber. The process variables included gas pressure (4, 12 or 20 mTorr), source power

flow rate (0, 10, 20, 40 or 100 sccm). It is seen that the optimal etch rate and uniformity was at about 10:1 to 3:1 volumetric flow ratio of CF_4 to chlorine

In the paragraph bridging pages 15 and 17:

As shown in Figure 4, the addition of a Cl_2 to a CF_4 based gas chemistry that is absent HBr had a significant effect on the polysilicon etch rate and uniformity. The bars represent the etch rate uniformity and the line represents the etch rate. This figure plots the results of examples 12 to 15, in which the source power was held at 600 watts, the bias power at 100 watts, and the helium backside gas pressure maintained at 12 Torr. Adding 20 sccm of Cl_2 (in 100 sccm of CF_4) increased the polysilicon etch rate nearly 70%, and improved uniformity from greater than 5 (15) to less than 2 (15). However, further increasing the Cl_2 flow to 40 sccm did not change the etch rate but degraded etch rate uniformity back to about 5 to 6. These results indicate that a balanced CF_4 to Cl_2 ratio is needed to get good etch rate uniformity. The optimal gas ratio also depends on the gas composition. Good etch rate uniformity can be obtained with CF_4/Cl_2 gas ratio ranging from 1:1 to 5:1 at 4mTorr, while the gas ratio was limited to around 5:1 at a higher pressure of 12mTorr. At higher gas pressure, source power became a dominating factor in uniformity control, with improved uniformity at a high source power

On page 18, Table V

Table V

Pressure mTorr	Source power watts	Bias power watts	CF_4 sccm	Cl_2 sccm	He sccm	Back side gas pressure Torr	Temp Temp	Cl_2 Temp	Flow Temp
4	480	70	100	20	30	0	80	80	80